

Strength Improvement in Adults Healthy Men

Agung Wahyu Permadi¹, Soetanto Hartono², Endang Sri Wahjuni³

¹Graduate Student, Doctoral Program in Sport Science, Universitas Negeri Surabaya, Indonesia, Lecturer in Physiotherapy Department, Faculty of Health, Science and Technology, University of Dhyana Pura, Address: Br. Dinas Pohgending, Desa Pitra, Penebel, Tabanan, Bali-Indonesia, 82152, ²Professor, Head of Doctoral Program in Sport Sciences, Universitas Negeri Surabaya, Indonesia. Address: Unesakampus Lidah, Jl LidahWetan Surabaya, 60213, ³Assistant Professor, Department of Sport Science, Universitas Negeri Surabaya, Indonesia

Abstract

Increased strength in adult men is very important. It is critical to optimizing physical fitness and avoiding injury. Strength is a fundamental ability that must be trained along with other abilities so as not to become counterproductive. This report informs that strength training is very influential to the physique, especially in the musculoskeletal functioning for adults healthy men. Strength training also has an impact on physical activities that are good for the soul and helps fight disorders such as anxiety and depression for adults men. Increased strength in adult men is very important. It is critical to optimizing physical fitness and avoiding injury. Strength is a fundamental ability that must be trained along with other abilities so as not to become counterproductive. This report informs that strength training is very influential to the physique, especially in the musculoskeletal functioning for adults healthy men. Strength training also has an impact on physical activities that are good for the soul and helps fight disorders such as anxiety and depression for adults men. Dominant capacity is the conditional capacity where motor performance requires a higher contribution. Most of motor activities require optimal performance of at least two qualities of the three listed. The development of one of the three conditional capacities must take place in a methodical way since it directly or indirectly affects the others. Thus, the key to increasing strength in adult men is routine motor training in a structured and methodically educated routine.

Keywords: *Strength, adults, men, physical fitness, healthy.*

Introduction

We will highlight a broader picture of strength expressed by the skeletal muscle system in fit and healthy human beings^[1]. Later we will also see how mechanical forces are necessary for men to perform their everyday functions, from the simplest to the most complex and

deepen the role of the strength to better understand the reasons for and causes of our movements^[2]. There are three conditional abilities of a person, namely resistance, strength and speed. The development of this ability counteracts the decline in muscle mass, otherwise often called sarcopenia and prevents muscle injuries in adult men. Intramuscular coordination is useful for athletes who have high endurance and who benefit from alternating recruitment or even desynchronization, allowing greater recovery for muscles that do not contract. Research also shows that intensification techniques are the best practice. There are divisions in the context of strength. The first is maximum strength, that is the highest strength that can be expressed by the nervous-muscle system voluntarily with contraction. The second is fast strength, that is the capacity of the nervous-muscle system to overcome resistance with a high level of contraction^[3].

Corresponding Author:

Agung Wahyu Permadi

Lecturer in Physiotherapy Department, Faculty of Health, Science and Technology, University of Dhyana Pura, Address: Br. Dinas Pohgending, Desa Pitra, Penebel, Tabanan, Bali-Indonesia-82152
e-mail: agungwahyu@undhirabali.ac.id
Telp.: +6281236169696

Material and Method

An important factor to consider is the possible presence of hypertension that can seriously present an impediment to such training since loads very close to the ceilings determine an increase in blood pressure due to the Valsalva maneuver (exhalation to closed glottis), which inevitably occurs when almost maximal loads with low repetitions are applied; this leads to an increase in chest pressure and a reduction in the flow of venous blood to the heart^[4]. This condition is established especially during exercises involving large muscle masses such as squat. This happens because it tends to unconsciously increase the intra-abdominal pressure in order to protect the vertebral column from the stress^[5].

For athletes who are periodically subjected to medical checks or to those who are constantly monitored, it is of crucial importance to cycle and periodize their workouts and to always introduce a less long rest period before the maximum strength cycle^[6]. A question too often brought up concerns the optimal number of series and repetitions in the cycle dedicated to maximum force. Several studies agree that there is no substantial difference between the 3- and 5-series-per-exercise cycles. As such, it is important to perform a low number of repetitions strictly within the 4-to-7-stroke range with doubles and singles.

Predominantly eccentric trainings, like those of the negative ones, represent a very powerful means of development of maximum force. With this training it is possible to brake loads of even 120–130% of 1RM. It should not, however, be carried on for more than 2 or 3 weeks so as not to overload the connective structures excessively^[7]. Plyometric trainings can also be useful for increasing maximum strength, provided that the same rules are observed for negative repetitions. Both of these method overload both the musculoskeletal system and the central nervous system^[8].

Finding and Results

There are studies showing that the findings of this topic are very familiar and it is not surprising that these athletes always represent the “strongest” sports class with greater abilities. Maximum strength is one of the biggest mistakes an athlete can make^[9]. If you want to achieve a high level of clear muscle growth and create an impressive physical structure, then you need to push hard and lift weights to strengthen your muscles and joints. In this way, improvements to posture and endurance can

be achieved and the risk of spinal column pathology such as hernia in the abdominal and back muscles can be avoided^[10]. This also has an impact on increasing heart contractile capacity and coronary spraying at rest. Sportsmen have not only lower heart rates than people who do not move but also lower susceptibility to sudden changes in pressure; in addition, the circulatory system becomes more elastic and has better venous return because of greater efficiencies of the muscles.

Physical activity is also good for the soul and useful for fighting disorders such as anxiety and depression. In fact, it contributes to the release of two important types of neuromediators, namely acetylcholine and endorphins. These are molecules that produce sensations of analgesia and well-being as well as properties that lead to the definition of the happiness hormone^[11]. The results of research conducted on breathing exercises prove that a number of trainings given to clients are able to increase the strength of breathing muscles^[3].

The increase in strength is not exponential; its growth is therefore not always linear over time. If this were not the case, in a few years any power athlete would be able to practice biceps curls with 200 kg dumbbells. Unfortunately, it does not go that way. In strength training we must intervene gradually and, in any case, within human limits, set realistic long-term goals that are achievable^[13].

Discussion

The various kinds of strength mentioned above include maximum force, explosive power, resistance to explosive power and muscle endurance, which can be classified according to biological principles^[4]. This power can be classified by considering both neuromuscular aspects, which function to modulate tension and metabolic aspects, which determine its duration. Therefore, maximum strength and explosive strength are characterized by neurogenic factors, while resistance to explosive forces and muscle resistance are characterized by metabolic factors^[5]. Strength, speed and endurance are the main requirements for successful performance^[6]. Dominant capacity is the conditional capacity where motor performance requires a higher contribution. Most motor activities require optimal performance of at least two qualities from the three listed. The development of one of the three conditional capacities must be carried out methodically because it directly or indirectly influences the other^{[7],[8]}.

Cyclists cannot think of winning the final sprint if they are not trained, volleyball players cannot think of jumping higher if they have not increased their strength and body builders cannot think of developing further hypertrophy if they have not been through power training^[8]. Among the three types of strength, maximum strength is the first to be trained. After having this quality increased, one can start working on another type of power with adequate training. Maximum strength can then become explosive strength and endurance or turn into hypertrophy^[19]. Maximum strength increase occurs first with adaptation and modification at the nerve system level and morphological transformation and eventually reaches hypertrophy. Most likely, neural adaptation acts at both the central and peripheral levels; this is determined as a final result. This modification will provide possibilities to immediately recruit a very high number of muscle fibers and trigger all the blasting processes by force^[9].

Changes in nervous system level will ensure increases in intramuscular and intermuscular coordination with energy savings as the result as well as increases in the speed of the implementation of a movement^[21]. Small loads can produce high outcomes through speed, but using low loads and high repetitions is sub-optimal because in such a training situation, the alternation of the recruitment of motor units comes into play, in which case it does not lead to the improvement of strength^[1]. Higher loads, on the other hand, will provide greater supercompensation. If optimal muscle tension is not achieved, there may be no increase in the strength produced. Training method to increase maximum strength vary and include repeated effort method: series method, pyramidal method, dynamic method, maximal effort method, static or isometric stress method and contrasting method^[10]. The latest findings reviewing articles that show that exercises that are carried out slowly and gently can reduce the risk of even simple exercises if done incorrectly can cause joint pain and muscle tension aimed at improving male posture^[17].

The method above are the result of a study which combines well with performance sports^[2]. Strength training for advanced bodybuilders or fitness practitioners aims to increase the reception capacity of motor units, thereby usable in mesocycles for hypertrophic purposes. This is principally the characteristic to building strength^[7].

Conclusions

Dominant capacity is the conditional capacity where motor performance requires a higher contribution. Most of motor activities require optimal performance of at least two qualities of the three listed. The development of one of the three conditional capacities must take place in a methodical way since it directly or indirectly affects the others. Strength is a fundamental ability that must be trained along with other abilities so as not to become counterproductive. It serves as a starting point. A cyclist cannot think of winning a final sprint if he has not trained his strength, a volleyball player cannot think of jumping higher if he has not trained his strength and a bodybuilder cannot think of developing further hypertrophy if he has not trained his strength. Thus, the key to increasing strength in adult men is routine motor training in a structured and methodically educated routine.

Conflict of Interest: The authors declare that there is no conflict of interest related to this study.

Source of Funding: The authors declare that there is no source of funding from anyone.

Ethical Clearance: Approved by the Research Ethics Committee of the Udayana University Medical School/Sanglah Hospital.

References

1. Granacher U, Hortobágyi T. Exercise to Improve Mobility in Healthy Aging. *Sport Med.* 2015;45(12):1625–6.
2. Gebel A, Lesinski M, Behm DG, Granacher U. Effects and Dose–Response Relationship of Balance Training on Balance Performance in Youth: A Systematic Review and Meta-Analysis. *Sport Med* [Internet]. 2018;48(9):2067–89. Available from: <https://doi.org/10.1007/s40279-018-0926-0>
3. Yamamoto S, Hotta K, Ota E, Mori R, Matsunaga A. Effects of resistance training on muscle strength, exercise capacity and mobility in middle-aged and elderly patients with coronary artery disease: A meta-analysis. *J Cardiol* [Internet]. 2016;68(2):125–34. Available from: <http://dx.doi.org/10.1016/j.jjcc.2015.09.005>
4. Mählmann L, Gerber M, Furlano RI, Legeret C, Kalak N, Holsboer-Trachsler E, et al. Aerobic exercise training in children and adolescents with inflammatory bowel disease: Influence on

- psychological functioning, sleep and physical performance – An exploratory trial. *Ment Health Phys Act*. 2017;13:30–9.
5. Montero D, Vinet A, Roberts CK. Effect of combined aerobic and resistance training versus aerobic training on arterial stiffness. *Int J Cardiol* [Internet]. 2015;178:69–76. Available from: <http://dx.doi.org/10.1016/j.ijcard.2014.10.147>
 6. Schepers P, Fishman E, Beelen R, Heinen E, Wijnen W, Parkin J. The mortality impact of bicycle paths and lanes related to physical activity, air pollution exposure and road safety. *J Transp Heal* [Internet]. 2015;2(4):460–73. Available from: <http://dx.doi.org/10.1016/j.jth.2015.09.004>
 7. Romero-arenas S, Blazeovich AJ, Martínez-pascual M, Pérez-gómez J, Luque AJ, López-román FJ, et al. Effects of high-resistance circuit training in an elderly population. *EXG* [Internet]. 2013;48(3):334–40. Available from: <http://dx.doi.org/10.1016/j.exger.2013.01.007>
 8. Berner Y, Barer Y, Shefer G, Stern N. Circuit resistance training is an effective means to enhance muscle strength in older adults A Systematic Review and Meta-analysis. *Ageing Res Rev* [Internet]. 2017; Available from: <http://dx.doi.org/10.1016/j.arr.2017.04.003>
 9. Fernhall B, Borghi-Silva A, Babu AS. The Future of Physical Activity Research: Funding, Opportunities and Challenges. *Prog Cardiovasc Dis* [Internet]. 2015;57(4):299–305. Available from: <http://dx.doi.org/10.1016/j.pcad.2014.09.003>
 10. Myers J, McAuley P, Lavie CJ, Despres JP, Arena R, Kokkinos P. Physical Activity and Cardiorespiratory Fitness as Major Markers of Cardiovascular Risk: Their Independent and Interwoven Importance to Health Status. *Prog Cardiovasc Dis* [Internet]. 2015;57(4):306–14. Available from: <http://dx.doi.org/10.1016/j.pcad.2014.09.011>
 11. Getty AK, Wisdo TR, Chavis LN, Derella CC, McLaughlin KC, Perez AN, et al. Effects of circuit exercise training on vascular health and blood pressure. *Prev Med Reports* [Internet]. 2018;10(February):106–12. Available from: <https://doi.org/10.1016/j.pmedr.2018.02.010>
 12. Permadi AW, Putra IMWA. Comparison of respiratory training method for chest wall expansion in patients with chronic obstructive pulmonary disease. *J Phys Educ Sport*. 2018;18(4).
 13. Sousa M De, Zouita A, Abderrahmane A Ben. Progressive circuit resistance training improves inflammatory biomarkers and insulin resistance in obese men. *Physiol Behav* [Internet]. 2018;#pagerange#. Available from: <https://doi.org/10.1016/j.physbeh.2018.11.033>
 14. Borde R, Hortobágyi T, Granacher U. Dose-Response Relationships of Resistance Training in Healthy Old Adults: A Systematic Review and Meta-Analysis. *Sport Med*. 2015;45(12):1693–720.
 15. Con H. Balance ability and athletic performance. *Sport Med*. 2011;41(3):221–32.
 16. Behm DG, Drinkwater EJ, Willardson JM, Cowley PM. Canadian Society for Exercise Physiology position stand: The use of instability to train the core in athletic and nonathletic conditioning. *Appl Physiol Nutr Metab*. 2010;35(1):109–12.
 17. Kibele A, Granacher U, Muehlbauer T, Behm DG. Stable, unstable and metastable states of equilibrium: Definitions and applications to human movement. *J Sport Sci Med*. 2015;14(4):885–7.
 18. Zhang Z, Chen W. A Systematic Review of the Relationship Between Physical Activity and Happiness. *J Happiness Stud* [Internet]. 2019;20(4):1305–22. Available from: <https://doi.org/10.1007/s10902-018-9976-0>
 19. Waltersbacher S, Pietsch F, Walker DJ, Röcker K, Kabitz HJ. Activation of respiratory muscles during respiratory muscle training. *Respir Physiol Neurobiol* [Internet]. 2018;247(August 2017):126–32. Available from: <http://dx.doi.org/10.1016/j.resp.2017.10.004>
 20. Coetsee C, Terblanche E. The effect of three different exercise training modalities on cognitive and physical function in a healthy older population. *Eur Rev Aging Phys Act*. 2017;14(1):1–10.
 21. Bandera F, Generati G, Pellegrino M, Labate V, Donghi V, Alfonzetti E, et al. Cardiac Determinants of Functional Capacity: Cardiopulmonary Exercise Testing Combined With Exercise-Echocardiography. *J Am Coll Cardiol* [Internet]. 2015;65(10):A1198. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S0735109715611986>
 22. Permadi AW. The benefits of aerobic activity to impact on improving quality of life : A Critical Riview of Study. 2019;4(7):7–10.

Compose

- Inbox
- Starred
- Snoozed
- Sent
- Drafts
- More

Labels +

sinargatsu@gmail.com

27 of 42



Indian Journal of Public Health Research & Development <editor.ijphrd@gmail.com>

Mon, Feb 17, 2020, 4:50 PM

to me

I have the pleasure to inform you that your paper has been accepted for publication.

Pay 100 US\$ as manuscript handling charges.

Note: Normal Charges i.e 100US\$ per Article(Article will be published 12-18 months)

Fast track Charges i.e 200US\$ per Article(Article will be published 5-6 months)

You can make the payment by only this method

Bank details for Forex transactions

Name of Bank:	Dhanlaxmi Bank
Branch:	Lajpat Nagar, New Delhi
Name:	Ramesh Kumar Sharma
Account:	Current
Account Number:	017706700002220
IFSC/ RTGS code	DLXB0000177
Swift Code / BIC code	DLXBINBBDEL

Your acceptance letter would be sent after receipt of charges.

After this no further amendment will be entertained in the manuscript



Tanggal/ Date : 29/2/2020

Formulir Kiriman Uang Remittance Application

Validasi :

Penerima/Beneficiary Penduduk/ Resident Bukan Penduduk/ Non Resident

Perorangan/Personal Perusahaan/Company

Pemerintah/Government Remittance

Nama/Name : Ramesh Kumar Sharma
 Alamat/Address : 1st floor of medicalegal Publication, logix
 1st floor Tower, Unit no. 1704 logix City Centre
 Telepon/Phone : 91 11 2610 3010 (New Delhi)
 Kota/City : New Delhi Negara/Country : India

Bank Penerima/Beneficiary Bank : Dhanlaxmi Bank
 Kota/City : New Delhi Negara/Country : India
 No. Rek./Acc. No. : 017326700002220 / P/B

Pengirim/Remitter Penduduk/ Resident Bukan Penduduk/ Non Resident

Perorangan/Personal Perusahaan/Company

Pemerintah/Government Remittance

Nama/Name : Agung Wahyu Permedi
 Nama Alias/Alias Name : Agung
 No. ID : 5102083006890003
 KTP/SIM/Passport/KITAS
 Alamat/Address : Bt. Diras Pohyending, Ds. Pitar, Penabel-
 Telepon/Phone : +62 81236169636 Bali
 Kota/City : Tabanan Negara/Country : Indonesia

Tujuan Transaksi (Transaction Purpose) : payment / SPHRD

Berita (Message) :

Biaya dari Bank koresponden dibebankan ke rekening/
 Correspondent bank charges are for account of :

Penerima/Beneficiary Pengirim/Remitter Sharing

Jenis Pengiriman/ Type of Transfer LLG/Clearing Draft
 RTGS SWIFT DLY BIN BBDFL

Sumber Dana/ Source of fund Tunai/Cash Cek/BG No.
 Debit Rek./Debit Acc. No.

Mata Uang/Currency : IDR USD

Jumlah Dana yang dikirim/Amount Transfer :		Nilai/Total Amount	
Jumlah/Amount	Kurs/Rate	Nilai/Total Amount	
100 US	14.105	1410.500	
Biaya/Charge		Valas/Amount in Foreign Exchange	Nilai/Total Amount
Komisi/Commission			135.000
Pengiriman/Handling			520.000
Bank Koresponden/Correspondent Bank			
Jumlah Biaya/Amount Charge :			
Total yang dibayarkan/Total Amount :			

Terbilang/Amount in Words : Dua Ratus 1410.500 Dollar

Saya menyetujui sepenuhnya syarat-syarat yang tercantum pada halaman belakang formulir ini / I unconditionally accept all the terms and conditions on the reverse form.

Pejabat Bank/Bank Officer

Teller

Pemohon/Applicant

Sah jika ada cetakan data komputer atau tanda tangan yang berwenang / The applicant form will be valid if there is a computerized validation or the authorized signature
 Transaksi oleh Walk in Customer (WIC) di atas Rp 100 juta atau nilai yang setara dengan itu wajib mengisi form PKN (KYC) / Transaction by Walk in Customer amounting exceeds Rp 100,000,000 (one hundred million rupiahs) or equivalent value must fill in the PKN (KYC) Form
 Transaksi oleh bukan penduduk di atas USD 10.000 atau ekuivalen wajib mengisi Form LLD1 / Transactional by non-resident amounting over US \$ 10,000 or its equivalent must fill in LLD1 Form.




94696 666462 001010 01 28/02/2020 09:04:42

SETORAN TUNAI

SETOR TUNAI
340000047 BNI CABANG DENPASAR USD 227,47 RATE 14.195,00
TERBILANG : DUA RATUS DUA PULUH TUJUH KOMA EMPAT PULUH TUJUH UNITED STATES DOLLAR
PENYETOR : Bpk AGUNG WAHYU PERMADI , REK NO. 190292673
BIAYA : BEBAS BIAYA
BERITA: COVER OTR \$200, OBK: \$25, PROP: \$2.47
SUMBER DANA : -
TUJUAN TRANSAKSI : -
34 - DENPASAR



()
Penyetor

Bank telah melaksanakan transaksi sesuai dengan permintaan penyetor. Sehubungan dengan hal tersebut, Penyetor dengan ini membebaskan Bank dari segala tuntutan hukum berkenaan dengan transaksi diatas. Bukti Setoran Tunai ini merupakan alat bukti yang sah.

3.228.875

PT. BANK NEGARA INDONESIA (Persero), Tbk
CABANG : DENPASAR

IBOC - Maintenance (S10)

Teller ID : 84696
Date : 28/02/2020
Time : 09:17:52

Sender's Reference:
:20:S10DPS00114720
Bank Operation Code:
:23B:CRED
Value Date/Currency/Interbank Settled Amount:
:32A:200228USD200,
Ordering Customer:
:50K:/5102083006890003
AGUNG WAHYU PERMADI
BR. DINAS PONGENDING DS PITRA PENEK
TABANAN BALI INDONESIA
D.O.B. 30/06/1989
Ordering Institution:
:52A:BNINIDJAXXX
Account With Institution:
:57D:DHANLAXMI BANK
NEW DELHI
INDIA
SWIFT CODE DLXBINBBDELXXX
Beneficiary Customer:
:59:/017706700002220
RAMESH KUMAR SHARMA
INSTITUTE OF MEDICOLEGAL
PUBLICATION LOGIX OFFICE TOWER
NEW DELHI
Remittance Information:
:70:PAYMENT IJPHRD
Details Of Charges:
:71A:OUR
Sender to Receiver Information:
:72://ACC/AT RTGS CODE DLXB0000177

